



T. 5. N. R. 4. E. 2nd Merid.



* 356.61 - see page 178 and
Diagram received 19th June 1834
on file in Subdivision of
Circumstances etc.



Township No. V North, Range No. IV East. Surveyed by William Harris 1807.

Description of the quality of the land on the interior section lines


Between Sections	Quality V.	Between Sections	Quality Vc.	Between Sections	Quality Vc.
35. 36	Hilly, D. rate	21. 28	Rolling Oak, Beech, sugar good farming		
25. 36	Same	21. 22	Rolling 1 st rate farming land		
25. 26	Same	15. 22	Same		
24. 25	Same	13. 14	Same		
34. 35	Alpa small brush bottom hills high on each side	31. 32	Level Oak, Hickory good wheat land		
26. 35	Hilly & poor	29. 32	Same		
26. 27	Same	30. 29	1 st rate farming land bottom		
23. 26	Same	20. 29	Same		
23. 24	Same	20. 21	Level good farming land		
13. 24	Rolling, Beech sugar good farming land	16. 21	Same		
33. 24	Hilly & poor	15. 16	Same		
27. 34	Same	14. 15	Beech sugar & poplar		
27. 28	Same	11. 14	Rolling good farming land (Beech sugar)		
22. 27	Same	11. 12	Same		
22. 23	South half mile same, the North bottom	30. 31	Bottom, 1 st rate farming land		
14. 23	Brush bottom good farming land				
32. 33	Oak Hickory Poplar good wheat land				
28. 33	Same				
28. 29	Same				

Township 10 S Range 14 East (2d Merid.)

Interior Section corners

Interior Quarter Section corners

Section	Bearing	Distance	Course	Links	Quality of the land	Section	Bearing	Distance	Course	Links	Section	Bearing	Distance	Course	Links
A	B. Walnut	40	S 4 E	24		11	S 73 E	24	W. oak	24	11	S 73 E	24	W. oak	24
a	Black oak	5	N 34 E	10		12	S 73 E	24	B. Walnut	24	12	S 73 E	24	B. Walnut	24
B	Beech	18	N 34 E	3		13	S 73 E	24	B. Walnut	24	13	S 73 E	24	B. Walnut	24
b	do	30	S 17 E	31		14	S 73 E	24	B. Walnut	24	14	S 73 E	24	B. Walnut	24
C	Beech	12	S 1 E	13		15	S 73 E	24	B. Walnut	24	15	S 73 E	24	B. Walnut	24
c	do	13	N 88 E	27		16	S 73 E	24	B. Walnut	24	16	S 73 E	24	B. Walnut	24
D	Beech	30	S 72 E	38		17	S 73 E	24	B. Walnut	24	17	S 73 E	24	B. Walnut	24
d	do	12	S 1 E	47		18	S 73 E	24	B. Walnut	24	18	S 73 E	24	B. Walnut	24
E	B. Gum	18	N 40 E	14		19	S 73 E	24	B. Walnut	24	19	S 73 E	24	B. Walnut	24
e	Beech	10	S 3 E	17		20	S 73 E	24	B. Walnut	24	20	S 73 E	24	B. Walnut	24
F	Beech	11	S 20 E	27		21	S 73 E	24	B. Walnut	24	21	S 73 E	24	B. Walnut	24
f	do	11	N 16 W	18		22	S 73 E	24	B. Walnut	24	22	S 73 E	24	B. Walnut	24
G	Sugar	18	S 71 E	27		23	S 73 E	24	B. Walnut	24	23	S 73 E	24	B. Walnut	24
g	Beech	24	N 64 W	12		24	S 73 E	24	B. Walnut	24	24	S 73 E	24	B. Walnut	24
H	Beech	8	S 79 E	11		25	S 73 E	24	B. Walnut	24	25	S 73 E	24	B. Walnut	24
h	Poplar	48	N 48 W	7		26	S 73 E	24	B. Walnut	24	26	S 73 E	24	B. Walnut	24
I	Beech	14	S 61 W	10		27	S 73 E	24	B. Walnut	24	27	S 73 E	24	B. Walnut	24
i	do	12	N 85 E	49		28	S 73 E	24	B. Walnut	24	28	S 73 E	24	B. Walnut	24
K	Beech	20	S 39 W	20	From K to L, level land	29	S 73 E	24	B. Walnut	24	29	S 73 E	24	B. Walnut	24
k	do	6	N 34 W	6		30	S 73 E	24	B. Walnut	24	30	S 73 E	24	B. Walnut	24
L	Beech	20	S 84 E	8		31	S 73 E	24	B. Walnut	24	31	S 73 E	24	B. Walnut	24
l	Sugar	5	N 20 W	8		32	S 73 E	24	B. Walnut	24	32	S 73 E	24	B. Walnut	24
l	Beech	10	S 14 W	23		33	S 73 E	24	B. Walnut	24	33	S 73 E	24	B. Walnut	24
l	do	10	N 22 W	22		34	S 73 E	24	B. Walnut	24	34	S 73 E	24	B. Walnut	24
l	W. oak	12	S 47 W	11		35	S 73 E	24	B. Walnut	24	35	S 73 E	24	B. Walnut	24
l	do	24	N 47 E	18		36	S 73 E	24	B. Walnut	24	36	S 73 E	24	B. Walnut	24
M	W. oak	20	S 48 W	20		37	S 73 E	24	B. Walnut	24	37	S 73 E	24	B. Walnut	24
m	Beech	15	S 77 E	8		38	S 73 E	24	B. Walnut	24	38	S 73 E	24	B. Walnut	24
m	Beech	6	S 85 E	7		39	S 73 E	24	B. Walnut	24	39	S 73 E	24	B. Walnut	24
N	Poplar	3	N 17 W	18		40	S 73 E	24	B. Walnut	24	40	S 73 E	24	B. Walnut	24
n	W. oak	15	S 34 E	15		41	S 73 E	24	B. Walnut	24	41	S 73 E	24	B. Walnut	24
n	Maple	15	N 32 E	21		42	S 73 E	24	B. Walnut	24	42	S 73 E	24	B. Walnut	24
n	Poplar	5	N 2 W	10		43	S 73 E	24	B. Walnut	24	43	S 73 E	24	B. Walnut	24
n	Poplar	6	S 17 W	34		44	S 73 E	24	B. Walnut	24	44	S 73 E	24	B. Walnut	24
O	Beech	20	S 44 W	16		45	S 73 E	24	B. Walnut	24	45	S 73 E	24	B. Walnut	24
o	do	6	N 22 W	15		46	S 73 E	24	B. Walnut	24	46	S 73 E	24	B. Walnut	24
o	Hickory	8	S 19 W	22		47	S 73 E	24	B. Walnut	24	47	S 73 E	24	B. Walnut	24
o	Beech	10	S 62 E	28		48	S 73 E	24	B. Walnut	24	48	S 73 E	24	B. Walnut	24
P	Beech	20	S 12 E	23		49	S 73 E	24	B. Walnut	24	49	S 73 E	24	B. Walnut	24
p	do	20	N 61 W	35		50	S 73 E	24	B. Walnut	24	50	S 73 E	24	B. Walnut	24
p	W. oak	20	S 30 E	62		51	S 73 E	24	B. Walnut	24	51	S 73 E	24	B. Walnut	24
q	do	15	N 30 W	5		52	S 73 E	24	B. Walnut	24	52	S 73 E	24	B. Walnut	24
Q	B. oak	10	S 2 W	24		53	S 73 E	24	B. Walnut	24	53	S 73 E	24	B. Walnut	24
q	Beech	6	N 56 W	21		54	S 73 E	24	B. Walnut	24	54	S 73 E	24	B. Walnut	24
q	W. oak	12	S 57 W	37		55	S 73 E	24	B. Walnut	24	55	S 73 E	24	B. Walnut	24
q	do	15	N 30 E	26		56	S 73 E	24	B. Walnut	24	56	S 73 E	24	B. Walnut	24
R	Beech	18	S 9 E	21		57	S 73 E	24	B. Walnut	24	57	S 73 E	24	B. Walnut	24
r	B. oak	45	N 4 E	87		58	S 73 E	24	B. Walnut	24	58	S 73 E	24	B. Walnut	24
r	Beech	10	N 17 W	25		59	S 73 E	24	B. Walnut	24	59	S 73 E	24	B. Walnut	24
r	do	10	S 40 E	8		60	S 73 E	24	B. Walnut	24	60	S 73 E	24	B. Walnut	24
S	Beech	6	S 82 E	20		61	S 73 E	24	B. Walnut	24	61	S 73 E	24	B. Walnut	24
s	do	6	S 10 E	19		62	S 73 E	24	B. Walnut	24	62	S 73 E	24	B. Walnut	24
s	Hickory	10	N 60 W	20		63	S 73 E	24	B. Walnut	24	63	S 73 E	24	B. Walnut	24
s	B. oak	15	S 10 W	10		64	S 73 E	24	B. Walnut	24	64	S 73 E	24	B. Walnut	24
T	W. oak	15	N 83 W	35		65	S 73 E	24	B. Walnut	24	65	S 73 E	24	B. Walnut	24
t	B. oak	20	N 52 E	28		66	S 73 E	24	B. Walnut	24	66	S 73 E	24	B. Walnut	24
t	B. oak	20	N 27 W	33		67	S 73 E	24	B. Walnut	24	67	S 73 E	24	B. Walnut	24
u	Hickory	10	N 53 E	33		68	S 73 E	24	B. Walnut	24	68	S 73 E	24	B. Walnut	24
u	do	10	S 64 E	12		69	S 73 E	24	B. Walnut	24	69	S 73 E	24	B. Walnut	24
u	Hickory	8	N 26 W	17		70	S 73 E	24	B. Walnut	24	70	S 73 E	24	B. Walnut	24
u	W. oak	10	N 78 E	11		71	S 73 E	24	B. Walnut	24	71	S 73 E	24	B. Walnut	24
V	W. oak	12	S 78 W	11		72	S 73 E	24	B. Walnut	24	72	S 73 E	24	B. Walnut	24
V	B. oak	40	S 50 E	32		73	S 73 E	24	B. Walnut	24	73	S 73 E	24	B. Walnut	24
v	Beech	10	S 60 W	29		74	S 73 E	24	B. Walnut	24	74	S 73 E	24	B. Walnut	24
W	Beech	10	N 25 E	25		75	S 73 E	24	B. Walnut	24	75	S 73 E	24	B. Walnut	24
w	do	7	S 53 W	40		76	S 73 E	24	B. Walnut	24	76	S 73 E	24	B. Walnut	24



32,025
21,745
537.70

The part north of the Indian Boundary is 747.73
The part south of 20. 10.247.11
21.994.84

Township No V North of the Baseline, Range No IV East of the 2nd Meridian. Surveyed by Arthur Henric 1816.

Description of the Soil on the interior Sectional lines.

Station between Sections	Quality &c	Station between Sections	Quality &c
118.12	Good farming lands. Timber.	38.4	Land Rich & level
1. 2	ditto	3.10	ditto
1. 12	Land Rich, Timber, Beech, Birch, Oak & Hickory	3.10	ditto
14. 15	Land Rich, Oak, Beech, Oak & Poplar, long & Spruce	3.4	Land level, Timber, Oak, Hickory, Ash & Blackberry
14. 11	ditto	4.9	Land Rich & level
10. 11	ditto	8.9	Land Rich & level
2. 3	ditto	9.16	Land flat, Timber, Elm, Ash & Maple
13. 15	ditto	5.8	ditto
7. 10	ditto	7.8	Land flat, most of covered with water
14. 15	ditto	8.14	Land level, Timber, Beech & Oak &c
3. 11	ditto	17.18	ditto
3. 13	ditto	19.30	Land level, Timber, Beech, Ash & Walnut
16. 9	ditto	7. 6	ditto
20. 21	Land level, Timber, Beech, Sugar &c	7. 13	ditto
21. 16	ditto		
16. 17	ditto		
20. 17	ditto		
29.30	Land Rich & level		
20. 20	ditto		
19. 23	ditto		
19. 30	ditto		
2. 3	Land Rich		

Township N. 3 North, Range N. 4 East of 2nd Mer.

Interior Sectional corners described

Continued.

Post	Bearing trees	Inches dia.	Courses they bear	Links dist.
A	Birch	12	S 3 W	17
a	do	12	S 3 E	23
B	Hickory	10	S 32 E	12
do	do	10	S 38 E	13
B	do	10	S 47 W	15
B	B. Oak	30	S 75 W	14
B	Gum	10	S 79 E	4
B	B. Oak	24	S 87 W	15
C	Hickory	12	S 88 E	12
c	Maple	10	S 15 W	10
do	do	12	S 63 E	21
D	Hickory	10	S 26 W	5
do	do	10	S 30 E	14
d	Hickory	15	S 42 W	19
do	do	8	S 32 E	15
E	Sugar	8	S 61 E	10
do	do	10	S 56 W	10
e	Sycamore	10	S 87 E	16
do	do	12	S 3 E	5
F	do	10	S 81 E	29
do	do	8	S 20 E	20
f	Hickory	7	S 87 E	57
do	do	12	S 26 W	13
G	Birch	20	S 32 W	13
do	do	9	S 53 W	13
g	Sycamore	10	S 15 E	37
do	do	10	S 67 E	27
H	do	12	S 46 W	6
do	do	6	S 63 E	14
I				
i				
R				
k				
L				
l				
M				
m				
N				
n				
o				
P				
p				
Q				
q				
R				
r				
S				
s				
T				
t				
U				
u				
V	Birch	8	S 4 E	47
do	do	8	S 77 W	9
v	Hickory	15	S 53 E	25
do	B. Walnut	28	S 71 W	34
W	Maple	10	Corner	
w				
X	Birch	10	S 50 E	6
do	Maple	15	S 69 W	31
Y	Birch	10	S 10 E	11
do	do	5	S 12 W	16
Z				

Quality of the Soil

E to H. Rich land
Birch. Oak W.


From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
1. 11. 12	Sugar Maple	8	S 7 W	30
do	do	8	S 5 W	5
10. 11. 14. 15	Birch	38	S 10 E	16
do	do	7	S 31 W	5
2. 3. 10. 11	Box Elder	12	S 70 E	20
do	do	34	S 8 E	34
15. 16. 17. 18	Hickory	12	S 3 E	43
do	do	8	S 78 E	7
3. 4. 9. 10	do	10	S 25 W	6
do	do	10	S 83 E	10
20. 21. 16. 17	Sugar	8	S 45 E	9
do	do	7	S 27 W	34
8. 9. 16. 17	Hickory	10	S 10 E	38
do	do	8	S 12 W	8
4. 5. 8. 9	Hickory	12	S 8 W	8
do	do	10	S 58 E	16
10. 23. 27. 30	Sycamore	10	S 83 W	12
do	do	18	S 47 W	28
7. 8. 17. 18	do	10	S 85 E	30
do	do	10	S 5 E	12
5. 10. 7. 8	do	8	S 30 W	11
do	do	8	S 31 W	10

Quarter Section corners described

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
M to U at 1.				
2.				
3.				
4.				
5.				
6.				
L to V at 1.				
2.				
3.				
4.				
5. B. Walnut		10	S 14 E	29
do		5	S 19 E	19
6. B. Walnut		10	S 88 E	11
do		20	S 87 W	31
K to W at 1.				
2.				
3.				
4. Birch		10	S 70 E	28
do		8	S 5 W	12
5.				
6. Birch		6	S 79 W	7
do		8	S 35 E	14

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
I to X at 1.				
2. Birch		10	S 14 E	5
do		40	S 14 W	13
3. Sycamore		7	S 33 W	23
do		10	S 26 E	21
4. do		20	S 56 W	40
do		19	S 77 E	26
5. Birch		6	S 32 E	7
do		10	S 47 E	12
6.				
H to I at 1.				
1. Birch		10	S 18 W	12
do		12	S 68 E	12
2. H. Oak		12	S 29 E	3
do		12	S 36 W	17
3.				
4. H. Oak		18	S 81 E	11
do		20	S 20 W	18
5. Hickory		20	S 72 W	12
do		12	S 68 E	19
6. Birch		10	S 53 E	27
do		12	S 86 W	37
O to P at 1.				
2.				
3.				
4.				
5. Sugar		8	S 23 W	23
do		20	S 23 E	3
6. Birch		20	S 7 W	32
do		15	S 25 E	12
P to Q at 1.				
2.				
3.				
4.				
5. Birch		18	S 77 W	2
do		6	S 3 W	26
6. Mulberry		18	S 71 W	17
do		12	S 22 W	24
Q to R at 1.				
2.				
3.				
4. H. Oak		12	S 23 E	24
do		12	S 2 W	24
5. Hickory		6	S 10 W	21
do		8	S 10 E	21
6. Birch		18	S 19 W	41
do		6	S 66 W	20
R to S at 1.				
2.				
3.				
4. Sycamore		4	S 11 W	4
do		6	S 86 W	14
5. Birch		20	S 33 W	10
do		15	S 43 E	19
6. Maple		8	S 11 W	47
do		30	S 39 W	30
S to T at 1.				
2.				
3.				
4. Birch		20	S 7 W	9
do		19	S 9 E	34
5. Birch		6	S 32 E	21
do		10	S 31 W	26
6. Birch		12	S 2 W	5
do		10	S 3 E	20


INDIAN.
N & E 2



Ent. on the Map.

IND

T.5.N, R.4.E. 2nd Mer.



642.44

Surveyor Gen's Office
Cincinnati June 19. 1834

Sir,

In compliance with your instructions of the 10th Inst. I transmit you, above, a diagram of Sec. 12. T.5.N. R.4.E. 2nd Mer. exhibiting, by calculation made from the length of the lines as given in the field notes, the true contents of each of the fractions into which this section is divided by the old Indian boundary line, to wit; the north fraction A. 285.83 - the south fraction A. 356.61.

The lengths of the lines given on the diagram correspond with the original notes of the respective surveys on file in this Office.

It would seem probable that the contents of these fractions as shown on the Records were transposed in the entry when the original plat of the township was made.


Elijah Hayward Esq
Comt. Genl Land Office

Respt. Yours Obedt Servt
M. T. Williams
Sur. Genl.

Copy

civilians

T.5 N. R.4. E. 2nd Mer.



Surveyor Gen.^l Office
Cincinnati June 19. 1834


Sir:

In compliance with your instructions of the 10th Inst. I transmit you above, a diagram of Sec. 12 T.5 N. R.4. E. 2nd Mer. exhibiting by calculation made from the length of the lines as given in the field notes, the true contents of each of the fractions into which this section is divided by the old Indian Boundary line, to wit; the north fraction A 285.83 - the south fraction A 356.61 - The length of the lines given on the diagram corresponds with the original notes of the respective surveys on file in this office. - It would seem probable that the contents of these fractions as shewn on the Record were transposed in the entry when the original plat of the Town & Ship was made.

Elijah Hayward Esq. (Signed)
Comr. West Land Office

Rec^d 19th June 1834
Mr. J. Williams
Sur. Gen.


Same Copy J. Fred. Manfield
Supt. Genl



Pursuant to a Contract with and Instructions from James Mansfield Esquire Surveyor General of the United States bearing date the 14th day of June 1827 I have accordingly laid out and surveyed the above described Township and do certify that it has such marks and bounds both natural and artificial as are represented on said plat and described in the full notes made there of and returned with this plat into the Surveyor General's Office.

Certified this 17th day of June 1827
Wm Harris D.S.

5-0


$$\begin{array}{r} 480.87 \\ 377.55 \\ \hline 103.32 \end{array}$$

395.24
67.78

462.82
487.72